|  | Application No.   | Applicant(s)  |
|--|---|---|
| Notice of Allowability   | 10/521,168  | MCMURTRY ET AL.   |
|  | Examiner  | Art Unit  |
|  | Yaritza Guadalupe-McCall  | 2859  |
| The MAILING DATE of this communication appear All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RI of the Office or upon petition by the applicant. See 37 CFR 1.313   | (OR REMAINS) CLOSED in this apportant or other appropriate communication GHTS. This application is subject to | plication. If not included will be mailed in due course. THIS |
| 1. This communication is responsive to <u>Amendment filed October 10, 2007</u> .   |   |   |
| 2. The allowed claim(s) is/are 23-44.  |   |   |
| <ul> <li>3.  Acknowledgment is made of a claim for foreign priority units a)  All b)  Some* c)  None of the:</li> <li>1.  Certified copies of the priority documents have</li> <li>2.  Certified copies of the priority documents have</li> <li>3.  Copies of the certified copies of the priority documents have</li> <li>International Bureau (PCT Rule 17.2(a)).</li> </ul> | been received. been received in Application No  |   |
| * Certified copies not received:   |   |   |
| Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.  THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.   |   |   |
| 4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.   |   |   |
| 5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.   |   |   |
| (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached   |   |   |
| 1) 🗌 hereto or 2) 🔲 to Paper No./Mail Date   |   |   |
| (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of<br>Paper No./Mail Date  |   |   |
| Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).  |   |   |
| 6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.  |   |   |
|  |   | •   |
| N.   |   |   |
| Attachment(s)  | _   |   |
| 1. Notice of References Cited (PTO-892)  | 5.  Notice of Informal F  | • •   |
| 2. Notice of Draftperson's Patent Drawing Review (PTO-948)   | 6. Interview Summary  | (PTO-413),<br>te  |
| 3. Information Disclosure Statements (PTO/SB/08), Paper No./Mail Date  | Paper No./Mail Da<br>7.   | ment/Comment  |
| 4.   Examiner's Comment Regarding Requirement for Deposit  | 8. 🛛 Examiner's Stateme   | ent of Reasons for Allowance                                  |
| of Biological Material   | 9.  |   |
|  |   |   |
|  |   |   |
|  | •   |   |

10/521,168 Art Unit: 2859

## **DETAILED ACTION**

In response to Amendment filed October 10, 2007

## Reasons for Allowance

- 1. The following is an examiner's statement of reasons for allowance:
  - a. Claims 23 40 are allowable over the Prior Art of Record because it fails to teach or suggest a rotary ring system for use in a scale reading apparatus comprising an unbroken rotary ring; at least one intermediate member; wherein the at least one intermediate member is fitted between the unbroken rotary ring and a part of a machine on which the rotary ring is mounted in combination with the remaining limitations of the claims.
  - b. Claim 41 is allowable over the Prior Art of Record because it fails to teach or suggest a rotary ring system for use in a scale reading apparatus comprising an unbroken rotary ring; at least one intermediate member; wherein the at least one intermediate member is fitted between the unbroken rotary ring and a part of a machine on which the rotary ring is mounted; and wherein applying a force to the at least one intermediate member adjusts the effective radius of the unbroken rotary ring in combination with the remaining limitations of the claims.

Application/Control Number:

10/521,168

Art Unit: 2859

Page 3

c. Claims 42 - 44 are allowable over the Prior Art of Record because it fails to teach or suggest a rotary ring system for use in a scale reading apparatus comprising an unbroken rotary ring; at least one intermediate member; wherein the at least one intermediate member is fitted between the unbroken rotary ring and a part of a machine on which the unbroken rotary ring is mounted; and wherein the at least one intermediate member is compliant in combination with the remaining limitations of the claims.

2. Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

## Conclusion

3. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Yaritza Guadalupe McCall whose telephone number is (571)272 -2244. The examiner can normally be reached on 8:00 AM - 5:30 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Dean Reichard can be reached on (571) 272-1984. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 2859

Information regarding the status of an application may be obtained from the Patent

Application Information Retrieval (PAIR) system. Status information for published applications

may be obtained from either Private PAIR or Public PAIR. Status information for unpublished

applications is available through Private PAIR only. For more information about the PAIR

system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR

system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

YGM December 17, 2007

Art Unit 2859

aritza Guadalupe-McCal

Page 4

Primary Examiner